Bloomberg BNA

1801 South Bell Street Arlington, Virginia 22202 703.341.3000 www.bna.com

David Schultz, reporter Bloomberg BNA 1801 South Bell Street Arlington, VA 22202 703-341-3696 dschultz@bna.com

July 18, 2017

FOIA Officer Environmental Protection Agency 1200 Pennsylvania Avenue NW #2822T Washington, DC 20460 202-566-1667 hq.foia@epa.gov

FOIA REQUEST

Dear FOIA Officer:

Pursuant to the federal Freedom of Information Act, 5 U.S.C. § 552, I request an electronic, machine-readable version of the Environmental Protection Agency's Safe Drinking Water Information System (SDWIS-Fed) database.

I agree to pay reasonable processing fees for the processing of this request up to the amount of \$49. Please notify me prior to your incurring any expenses in excess of that amount.

Through this request, I am gathering information on that is of current interest to the public. This information is being sought on behalf of Bloomberg BNA for dissemination to the general public.

If my request is denied in whole or part, I ask that you justify all deletions by reference to specific exemptions of the act. I will also expect you to release all segregable portions of otherwise exempt material. I, of course, reserve the right to appeal your decision to withhold any information or to deny a waiver of fees.

Please contact me at 703-341-3696 or at <u>dschultz@bna.com</u> if you have any questions about which specific information I am requesting.

Thank you for your assistance.

Sincerely,

David Schultz